


## Capabilities for a 6.67mm 144x432 Full Color LED Display

Your new LED sign will be capable of incredible things! From simple text to amazing animations, our signs allow your organization to **thrive through effective communication**. Learn more on our [LED Sign Education](#) page.

### Understanding Your LED Display


#### Pixel Pitch

6.67mm (0.26 in.) is the pixel pitch. This is the distance between the centers of individual pixels (points of light) in the LED display. The smaller the pitch, the more pixels can fit inside of the display.



#### Matrix Size

144x432 is the matrix size. This is the number of pixels high (144) and the number of pixels wide (432) of the display. That's **62,208 pixels per side!** The more pixels, the higher the clarity and amount of detail that can be shown.



[View larger image](#)

#### Display Colors

This full-color display is capable of showing **an enormous number of colors** by combining red, green and blue light in different amounts!



*Example of colors only. Amount of detail is dependent on matrix size.*

#### Optimum Viewing Distance

The optimum viewing distance for this display is between **21' and 298'**. Images and video clips at closer than 21' will be discernible, but will appear pixelated. Greater than 298' will decrease the display's readability. [Learn more.](#)




The display area is approximately 3'-1.75" high by 9'-5.5" wide, or 29.8 sq.ft. per side.

# Capabilities for a 6.67mm 144x432 Full Color LED Display

## Text Capabilities

### Maximum Text

The maximum amount of text for your LED display is **18 rows of 1.8" text**. This size uses pixel text for optimum screen usage and clarity.



### Optimum Text

A message can also be created using **3 rows of 12.4" text**. This sized text is suitable for traffic speeds of up to **70+ mph**.



*Amount of detail is dependent on matrix size.*

### Fonts & Styles

In addition to pixel text, your message can be shown in **many fonts and styles**. Color and outline options are also available for full-color displays.



*Amount of detail is dependent on matrix size.*

### Full Text Capabilities

This display is capable of the following text sizes. Miles per hour are based on five seconds of readability at that constant speed.

- 18 rows of 1.8" text \* (Up to 12 mph.)
- 14 rows of 2.4" text \* (Up to 16 mph.)
- 13 rows of 2.6" text \* (Up to 18 mph.)
- 15 rows of up to 2.4" text (Up to 16 mph.)
- 14 rows of up to 2.5" text (Up to 17 mph.)
- 13 rows of up to 2.8" text (Up to 19 mph.)
- 12 rows of up to 3" text (Up to 20 mph.)
- 11 rows of up to 3.3" text (Up to 22 mph.)
- 10 rows of up to 3.6" text (Up to 25 mph.)
- 9 rows of up to 4" text (Up to 27 mph.)
- 8 rows of up to 4.6" text (Up to 31 mph.)
- 7 rows of up to 5.2" text (Up to 35 mph.)
- 6 rows of up to 6.1" text (Up to 42 mph.)
- 5 rows of up to 7.4" text (Up to 50 mph.)
- 4 rows of up to 9.3" text (Up to 63 mph.)
- 3 rows of up to 12.4" text (Up to 70+ mph.)
- 2 rows of up to 18.7" text (Up to 70+ mph.)
- 1 row of up to 37.8" text (Up to 70+ mph.)


\* Using pixel text.

# Capabilities for a 6.67mm 144x432 Full Color LED Display

## Media Capabilities

### Media Library


Our cloud-based software has **over 2,000 built-in video clips and images** for use on any sized display. Get the maximum impact from your sign immediately with our continually growing library!



[Learn more about our Media Library](#)

### Animation Templates

Make **compelling, eye-catching custom messages** for your sign!\* Your text will be brought to life with movement and visual interest. If you can type, you can build amazing sign messages!



*Check local ordinances regarding sign content.*

[Learn more about our Animation Templates](#)

Of course, you can upload and **use your own images and video clips** as well. We support AVI, BMP, GIF, JPG, MOV, MP4, MPG, PNG, TIF and WMV formats, with *unlimited* media file storage. Learn more about your new sign's capabilities with our cloud-based software [SignCommand.com](http://SignCommand.com)!



